

# MHCP Mouse Hepatocytes Cryopreserved Plateable for Induction assays for Cell Specification – Certificate of Analysis (CoA)

Lot MH220202-1 Batch Release: June 05, 2023

#### **Donor data**

Species: Mouse (Mus musculus) Gender: female

Strain: CD-1 Age: approx. 12 months

## **Cryopreservation and Thawing**

**Cryopreservation:** 

Date: Feb 02, 2022

Amount per vial:  $6.7 \times 10^6$  cells

**Thawing:** n=1

Post-thaw viability: 85.8 %


Post-thaw yield per vial: 2.175 x 10<sup>6</sup> cells


Recovery: 36.3 %

### **2D** culture

Phase contrast on day 1 after thawing (24well plate)

Phase contrast on day 3 after thawing (24well plate)





Recommended seeding density on collagen-coated plates: 24well plate – 120,000 cells/well // 96well plate – 25,000 cells/well Culture in Human Hepatocyte Maintenance Medium (HHMM).

CYP P450 activity in 2D culture after thawing: pmol/(mg  $\times$  min) X-fold induction Ethoxyresorufin-O-deethylation: 24well:  $5.92 \pm 0.47$  1.2 Induction with 25  $\mu$ M  $\beta$ -Naphthoflavone 96well:  $5.58 \pm 1.02$  1.0



## **Suspension culture**

Viability test on orbital shaker (Eppendorf Thermomixer C, 1000 rpm at 37  $^{\circ}$ C with 0.5 x 10 $^{6}$  cells in 0.5 ml HPM-Cryo):

Time (h)	0	0.5	1	1.5	2	3	4	5
Viability (%)	85.8	69.4	66.5	61.2	64.5	47.5	53.1	50.0

Note: Yield, viability, recovery and activity assays were performed at PRIMACYT using PRIMACYT's manual for thawing, plating and culture of primary cryopreserved hepatocytes.

## Store at -150 °C or in the vapour phase of LN<sub>2</sub>

This product should be considered as potential biohazard. Only intended for in vitro use.

Detailed animal information and husbandry conditions				
Species	Mouse (Mus musculus)			
Strain	CD-1, IGS (International Genetic Standard)			
Vendor	Janvier Labs, Le Genest-Saint-Isle, France			
Food	Altromin Maintenance diet for rats/mice (ad libitum), Altromin, Lage, FRG			
Water	ad libitum			
Light/Dark cycle	07:00-19:00 light / 19:00-07:00 dark (12 hours light/dark)			
Temperature	20-24 °C			
Humidity	40-70 %			
Bedding	Hugro hemp bedding, Saerbeck, FRG			
Cage	Tecniplast Eurostandard Type III and Type IV incl. behavioural enrichments for the animals			

Animals were housed under veterinary control and allowed to acclimate ≥ 7 days before use. Animal housing permits according to §11 Abs. 1 TSchG, dated March 20, 2017 and March 22, 2022 under supervision of Veterinary Office of Landkreis Ludwigslust/Parchim, FRG. Hepatocytes were obtained from a non-infectious, non-contagious, healthy animal. The animal does not originate from a facility conducting work or research with animal pathogens.

Issued by: A. Alkufairi	Verified by: K. Damrau
	7