

MH-MHCP Mouse Hepatocytes Cryopreserved Plateable for Induction assays Cell Specification – Certificate of Analysis (CoA)

Lot MH240111-3 Batch Release: April 23, 2024

Donor data

Species: Mouse (Mus musculus) Gender: male

Strain: Black 6 (C57BL6JR) Age: approx. 6 months

Cryopreservation and Thawing

Cryopreservation:

Date: Jan 11, 2024

Amount per vial: 6.73×10^6 cells

Thawing: n=1


Post-thaw viability: 85.5 %

Post-thaw yield per vial: 2.8 x 10⁶ cells


Recovery: 41.6 %

2D culture

Phase contrast on day 1 after thawing (24well plate)



Phase contrast on day 3 after thawing (24well plate)



Recommended seeding density on collagen-coated plates: 24well plate – 120,000 cells/well // 96well plate – 25,000 cells/well Culture in Human Hepatocyte Maintenance Medium (HHMM).

CYP P450 activity in 2D culture after thawing: Ethoxyresorufin-O-deethylation: Induction with 25 µM β-Naphthoflavone pmol/(mg \times min) 96well: 7.52 \pm 1.72 X-fold induction 2.3



Suspension culture

Viability test on orbital shaker (Eppendorf Thermomixer C, 1000 rpm at 37 $^{\circ}$ C with 0.5 x 10 6 cells in 0.5 ml HPM-Cryo):

| Time (h) | 0 | 0.5 | 1 | 1.5 | 2 | 3 | 4 | 5 |
|---------------|------|------|----|------|------|------|------|------|
| Viability (%) | 85.5 | 82.8 | 76 | 75.7 | 75.6 | 64.7 | 60.8 | 63.1 |

Note: Yield, viability, recovery and activity assays were performed at PRIMACYT using PRIMACYT's manual for thawing, plating and culture of primary cryopreserved hepatocytes.

Store at -150 °C or in the vapour phase of LN₂

This product should be considered as potential biohazard. Only intended for *in vitro* use.

| Detailed animal information and husbandry conditions | | | | |
|--|--|--|--|--|
| Species | Mouse (Mus musculus) | | | |
| Strain | Black 6 (C57BL6JR) | | | |
| Vendor | Janvier Labs Saint Berthevin Cedex, France | | | |
| Food | Altromin Maintenance diet for rats/mice (ad libitum), Altromin, Lage, FRG | | | |
| Water | ad libitum | | | |
| Light/Dark cycle | regulated day/night cycle using artificial and natural light, 10-14 hours light daily | | | |
| Temperature | 20-24 °C | | | |
| Humidity | 40-70 % | | | |
| Bedding | Hugro hemp bedding, Saerbeck, FRG | | | |
| Cage | Tecniplast Eurostandard Type III and Type IV incl. behavioural enrichmen for the animals | | | |

Animals were housed under veterinary control and allowed to acclimate ≥ 7 days before use. Animal housing permits according to §11 Abs. 1 TSchG, dated March 22, 2022 under supervision of Veterinary Office of Landkreis Ludwigslust/Parchim, FRG. Hepatocytes were obtained from a non-infectious, non-contagious, healthy animal. The animal does not originate from a facility conducting work or research with animal pathogens.

| Issued by: A. Sattler | Verified by: T. Krimmling |
|-----------------------|---------------------------|
| | 7 |