

## Rainbow Trout Liver Subcellular fractions Product specification – Certificate of Analysis (CoA)

Lot RTL230209 (Pool of 10) Batch Release: April 25, 2023

| Product information |   |        |                 |  |  |  |
|---------------------|---|--------|-----------------|--|--|--|
| Product number      | Product description                                 | Amount | Protein content |  |  |  |
| RTL-S9-2P10         | Rainbow trout liver S9 fraction, female, pool of 10 | 0.5 mL | 20 mg/mL        |  |  |  |

## **Donor data**

Species: Rainbow trout (Oncorhynchus mykiss)

Gender: female

Age: sexual immature

Pool: N = 10

Equal amounts of Liver tissues were pooled to generate subcellular fractions.

| Animal characteristics           |      |      |      |      |      |      |      |      |      |      |
|----------------------------------|------|------|------|------|------|------|------|------|------|------|
| Donor                            | 1    | 2    | 3    | 4    | 5    | 6    | 7    | 8    | 9    | 10   |
| Fish weight (g)                  | 550  | 537  | 531  | 642  | 460  | 651  | 546  | 439  | 424  | 588  |
| Fish length (cm)                 | 34   | 34   | 36   | 37   | 33   | 38   | 35   | 34   | 33   | 36   |
| Gonaden weight (g)               | 1.4  | 1.1  | 2.0  | 0.8  | 0.5  | 1.8  | 0.7  | 1.4  | 0.4  | 0.8  |
| GSI (gonaden weight/fish weight) | 0.25 | 0.20 | 0.38 | 0.12 | 0.11 | 0.28 | 0.13 | 0.32 | 0.09 | 0.14 |
| liver weight (g)                 | 72.2 |      |      |      |      |      |      |      |      |      |


GSI = Gonadosomatic index



| Enzyme assay results |                              |                            |  |  |  |
|----------------------|------------------------------|----------------------------|--|--|--|
| Enzyme               | Accay                        | Enzyme activities (nM/min) |  |  |  |
| (Human isoforms)     | Assay                        | S9 Fraction                |  |  |  |
| CYP1A2               | Phenacetin-O-deethylase      | 0.74 ± 0.17                |  |  |  |
| CYP2A6               | Coumarin-7'-hydroxylase      | not detectable             |  |  |  |
| CYP2B6               | Bupropion-hydroxylase        | $0.08 \pm 0.02$            |  |  |  |
| CYP2C9               | Diclofenac 4'-hydroxylase    | $3.51 \pm 0.31$            |  |  |  |
| CYP2C19              | Mephenytoin 4'-hydroxylase   | not detectable             |  |  |  |
| CYP2E1               | Chlorzoxazone 6'-hydroxylase | $0.69 \pm 0.13$            |  |  |  |
| CYP3A4               | Midazolam 1'-hydroxylase     | $0.36 \pm 0.11$            |  |  |  |
| UDP-GT               | UDP-Glucuronosyltransferase  | 313.38 ± 75.89             |  |  |  |
| SULT                 | Sulfotransferase             | 10.54 ± 1.81               |  |  |  |

Note: Activity assays were performed at PRIMACYT GmbH. The assays were conducted at 1 mg/mL protein in 0.1 M Phosphate buffer at 37 °C for 15 min (phase I) and 30 min (phase II). Values are expressed as mean ± SD of 2 separate experiments.

BLQ = below level of quantification.



Note: SDS-PAGE was performed at PRIMACYT GmbH using a 7 % stacking gel and a 10 % separating gel with 10, 20 and 40 µg protein as indicated. Pageruler Prestained Protein Ladder by Thermo Scientific was used as marker. Protein sizes (kDa) denoted on the left.

## Store at -80 °C.

This product should be considered as potential biohazard. Only intended for *in vitro* use.

Issued by: M. Reu Verified by: K. Damrau