

Updated on: 3rd May 2024

CERTIFICATE OF ANALISYS

Lot#: CHM2108-SC-P1-Z

PRODUCT DESCRIPTION


Reference: HuSC Product: Cryopreserved Human Stellate Cells Cellular passage: P1 Size/Quantity: > 500.000 cells/vial Isolation date: 14th September 2021 Storage conditions: -196°C using LN₂ Sterility test: Negative for mycoplasma, bacteria, yeast, and fungi

DONOR DEMOGRAPHICS

Species	Gender	Race	Age	BMI	Smoker	Alcohol Use	Drug Use	
Human	Male	Caucasian	68	24.22	No	No	No	
Pathology			Serological Data ¹					
Colorectal Cancer			Tested negative less than 3 months before surgery					

Patient informed consent was obtained. ¹The donor was serologically tested negative for following infectious diseases: HIV, Hepatitis B, Hepatitis C, and SARS-CoV-2. Donor medical history was also examined prior to accepting this donor. *For donor's medication information, please contact us.*

CHARACTERIZATION FOR HUMAN STELLATE CELLS



Human stellate cells were thawed and seeded according to Cytes Biotechnologies protocol. The number of cells and viability postthawing was assessed by using the trypan blue exclusion assay. Phase-contrast image 5 days after seeding is shown on the panel.

For basic research use only, not to be used for clinical or diagnostic applications. Products distributed by Cytes Biotechnologies may contain human material that should be treated as potentially biohazardous.


CYTES BIOTECHNOLOGIES, SL.

Parc Científic de Barcelona, C/Baldiri Reixac 4-8 | www.cytesbiotechnologies.com | info@cytesbiotech.com | P.+34 934034553



IMMUNOFLUORESCENCE ANALYSIS

Human stellate cells are positive for vimentin, and cygb and negative for α -smooth muscle actin when they are quiescent. When they become activated, they start to express α -smooth muscle actin.



Cells were cultured on 8 well chamber slide till reach the confluence. The first panel shows green immunofluorescence for vimentin which is evident in the cell body and cytoplasmic processes in the cultured stellate cells. Red immunofluorescence for cygb is also positive. The second panel shows expression for α -smooth muscle actin. Both panels show blue immunofluorescence for DAPI, a cellular nuclei marker. Negative controls are showed on the bottom of the panel with all the markers used for the SC.

If you need help for an experiment, just contact us, our experts will be pleased to assist you

For basic research use only, not to be used for clinical or diagnostic applications. Products distributed by Cytes Biotechnologies may contain human material that should be treated as potentially biohazardous.

CYTES BIOTECHNOLOGIES, SL.

Parc Científic de Barcelona, C/Baldiri Reixac 4-8 | www.cytesbiotechnologies.com | info@cytesbiotech.com | P.+34 934034553



CERTIFICATION:

The viability and performance of the human stellate cells provided depend primarily on the use of appropriate media and reagents, as well as the use of sterile plastics. Likewise, proper handling protocols must be followed. Please note that if these parameters are not carefully considered, the cellular response obtained in the assays may be lower than expected.

Name	Tittle	Signature	Cytes Biotechnologies, S.L.	Date
Pilar Sainz de la Maza	Quality Manager	the	CYTES BUTECHIOLOGIES SLL	03/05/24

For basic research use only, not to be used for clinical or diagnostic applications. Products distributed by Cytes Biotechnologies may contain human material that should be treated as potentially biohazardous.

CYTES BIOTECHNOLOGIES, SL.

Parc Científic de Barcelona, C/Baldiri Reixac 4-8 | www.cytesbiotechnologies.com | info@cytesbiotech.com | P.+34 934034553