

**RTHCP-I Rainbow Trout Hepatocytes Cryopreserved Plateable and CYP Inducible Cell Specification – Certificate of Analysis (CoA)**

Lot RTH230613

Batch Release: March 06, 2026

**Donor data**

Species: Rainbow trout (*Oncorhynchus mykiss*)

Gender: female  
Age: sexual immature  
Pool: n = 6

**Animal characteristics**

Donor	1	2	3	4	5	6
Fish weight (g)	297	365	337	357	319	415
Fish length (cm)	28	30	32	31	29	34
Gonads weight (g)	0.25	0.31	0.28	0.37	0.26	1.24
GSI (gonads weight/fish weight)	0.08	0.09	0.08	0.10	0.08	0.30
Liver weight (g)	4.9	4.9	3.0	3.6	3.2	6.9
Total liver weight (g)	26.5					

**Cryopreservation and Thawing**

**Cryopreservation:**


Date: June 13, 2023  
Amount per vial: 15.0 x 10<sup>6</sup> cells

**Thawing:** n=5


Post-thaw viability: 96.0 ± 1.5 %  
Post-thaw yield per vial: 3.6 ± 0.8 x 10<sup>6</sup> cells  
Recovery: 24 %

**2D culture**

Phase contrast on day 6 after thawing  
(24well plate)



Phase contrast on day 10 after thawing  
(24well plate)



Recommended seeding density on Corning Primaria plates coated with Matrigel:

24well plate – 500,000 cells/well

Culture in Fish Hepatocytes Medium (FHM).

CYP P450 activity in 2D culture after thawing:

Ethoxyresorufin-O-deethylation:

Induction with 18 µM β-Naphthoflavone

pmol/(mg × min)

24well: 8.7 ± 0.3

X-fold induction

2.7

**Phase I metabolism:** Determination of basal enzymatic activities in plated cells:

<b>Assay</b>	<b>Enzyme activities (nM/min*mg protein)</b> mean ± SD
Phenacetin-O-deethylase	0.51 ± 0.03
Diclofenac-hydroxylase	0.78 ± 0.04
Midazolam 1'-hydroxylase	0.12 ± 0.001

Enzyme activity assays were performed at PRIMACYT GmbH. The assays were conducted with  $0.5 \times 10^6$  plated cells in 0.5 mL FHM at 15 °C for 2 h. Values for enzyme activities are mean ± standard deviation of two determinations. Metabolite formation was determined with validated LC-MS/MS methods by a GLP certified external service provider.

### Suspension culture

Viability test on orbital shaker (Eppendorf Thermomixer C, 1000 rpm at 14 °C with  $0.5 \times 10^6$  cells in 0.5 ml L15-Cryo):

Time (h)	0	1	2	3	4	5	24
Viability (%)	94.6	97.8	99.5	99.4	99.5	99.3	96.3

Note: Yield, viability, recovery and activity assays were performed at PRIMACYT using PRIMACYT's manual for thawing, plating and culture of primary cryopreserved hepatocytes.

### Detailed animal information and husbandry conditions

Species	Rainbow trout ( <i>Oncorhynchus mykiss</i> )
Vendor	Fish Aquaristikshop, Osterberg 11, 19061 Schwerin
Food	Alkote, Allco Heimtierbedarf GmbH & Co. KG, Thedinghausen
Light/Dark cycle	natural day / night cycle using daylight
Husbandry	3.5 m <sup>3</sup> water tank
Stocking rate (kg/m <sup>3</sup> )	2.7 ± 0.3
Water temperature (°C)	15.9 ± 0.3
pH	8.2 ± 0.3
NH <sub>4</sub> (mg/l)	0.2 ± 0.1
NO <sub>2</sub> (mg/l)	0.3 ± 0.2
NO <sub>3</sub> (mg/l)	5.9 ± 2.6
Carbonate hardness (°dh)	8.4 ± 0.6
Salinity (‰)	0.20 ± 0.00
Conductivity (µS/cm)	568.4 ± 12.2
Acid capacity pH 4.3 (mmol/l)	3.0 ± 0.2

Animals were housed under veterinary control and allowed to acclimate ≥ 7 days before use. Liver tissues were obtained from non-infectious, non-contagious, healthy animals. The animals do not originate from a facility conducting work or research with animal pathogens.

### Store at -150 °C or in the vapour phase of LN<sub>2</sub>

This product should be considered as potential biohazard. Only intended for *in vitro* use.

Issued by: A. Ullrich

Verified by: J. Schuldt